

Kalahari Research Centre

Fauna & Flora

Including mammals, birds, reptiles, invertebrates, and vegetation

Kalahari River Reserve, Northern Province, South Africa

2007

www.kalahariresearchcentre.org

Copyright by Kalahari Research Centre
not to be reprinted or published without permission

Mammals

<u>Common Name (English)</u>	<u>Common Species Name</u>	<u>Common Name (Afrikaans)</u>
Common eland	<i>Taurotragus oryx</i>	
Gemsbok	<i>Oryx gazelle</i>	
Red hartebeest	<i>Alcelaphus buselaphus caama</i>	(Rooihartebees)
Blue wildebeest	<i>Connochaetes taurinus</i>	(Blouwildebees)
Springbuck	<i>Antidorcas marsupialis</i>	(Springbok)
Common duiker	<i>Sylvicapra grimmia</i>	(Gewone duiker)
Steenbok	<i>Raphicerus campestris</i>	(Steenbok)
Cape porcupine	<i>Hystrix africaeaustralis</i>	(Ysrevark)
Ground pangolin	<i>Smutsia temminckii</i>	(Ietermagog)
Aardvark	<i>Orycteropus afer</i>	(Ertvark)
Springhare	<i>Petedes capensis</i>	(Springhaas)
Cape hare	<i>Lepus capensis</i>	
Scrub hare	<i>Lepus saxatilis</i>	
Damaraland mole-rat	<i>Fukomys damarensis</i>	(Damara molrot)
Black-tailed tree rat	<i>Thallomys nigricauda</i>	
Brant's whistling rat	<i>Parotomys brantsii</i>	
Rock hyrax	<i>Procavia capensis</i>	(Dassie)
Honey badger	<i>Mellivora capensis</i>	(Ratel)
Yellow mongoose	<i>Cynictis penicillata</i>	(Geel meerkat)
Meerkat	<i>Suricata suricatta</i>	(Stokstertmeerkat)
Slender mongoose	<i>Herpestes sanguineus</i>	
Cape ground squirrel	<i>Xerus inauris</i>	(Waaierstertmeerkat)
Small spotted cat	<i>Felis nigripes</i>	
African wildcat	<i>Felis lybica</i>	(Wildeckat)
Caracal	<i>Caracal caracal</i>	(Rooikat)
Small spotted genet	<i>Genetta felina</i>	
Striped polecat	<i>Ictonyx striatus</i>	(Muishond)
Aardwolf	<i>Proteles cristatus</i>	(Aardwolf)

Black-backed jackal	<i>Lupulella mesomelas</i>	(Jakkals)
Brown hyaena	<i>Parahyaena brunnea</i>	(Bruin hyena)
Bat-eared fox	<i>Otocyon megalotis</i>	(Bakoor jackals)
Cape fox	<i>Vulpes chama</i>	(Foks)
Egyptian free-tailed bat	<i>Tadarida aegyptiaca</i> *	
Cape serotine bat	<i>Laephotis capensis</i> *	
Egyptian slit-faced bat	<i>Nycteris thebaica</i> *	

* *Unconfirmed for this area but possibly present*

BIRDS

Kalahari Research Centre Total – 158 Species

(Bird Sightings by Simon Davies: Feb 2000 – Feb 2001)

<u>Common Name (English)</u>	<u>Common Species Name</u>	<u>Common Name (Afrikaans)</u>
Grey heron	<i>Ardea cinerea</i>	(Bloureier)
Cattle egret	<i>Bubulcus ibis</i>	(Bosluisvoel)
Little egret	<i>Egretta garzetta</i>	(Kleinwitreier)
Spur-winged goose	<i>Plectropterus gambensis</i>	(Wildermakou)
Lappet-faced vulture	<i>Torgos tracheliotus</i>	(Swartaasvoel)
Cape vulture	<i>Gyps coprtheres</i>	(Kransaasvoel)
African white-backed vulture	<i>Gyps africanus</i>	(Witruugaasvoel)
Bateleur	<i>Terathopius ecaudatus</i>	(Berghaan)
Brown-snake eagle	<i>Circaetus cinereus</i>	(Bruinslangarend)
Black-breasted snake eagle	<i>Circaetus gallicus</i>	(Swartborsslangarend)
Steppe eagle	<i>Aquila nipalensis</i>	(Steppe-arend)
Tawny eagle	<i>Aquila rapax</i>	(Roofarend)
Wahlberg's eagle	<i>Aquila wahlbergi</i>	(Bruinarend)
Martial eagle	<i>Polemaetus bellicosus</i>	(Breekoparend)
Booted eagle	<i>Hieraaetus pennatus</i>	(Wergarend)
Steppe buzzard	<i>Buteo buteo</i>	(Bruinjakkalsvoel)
Pale-chanting goshawk	<i>Melierax caorus</i>	(Bleeksingvalk)
Black kite	<i>Milvus migrans</i>	(Swartwou)
Yellow-billed kite	<i>Milvus aegyptius</i>	(Geelbekwou)
Black-shouldered kite	<i>Elanus caeruleus</i>	(Blouvalk)
Pygmy falcon	<i>Polihierax semitorquatus</i>	(Dwergvalk)
Gabar goshawk	<i>Micronisus gabar</i>	(Kleinsingvalk)
Little-banded goshawk	<i>Accipiter badius</i>	(Gebande Sperwer)
Little sparrowhawk	<i>Accipiter minullus</i>	(Kleinsperwer)
Lanner falcon	<i>Falco biarmicus</i>	(Edelvalk)
Red-necked falcon	<i>Falco chicquera</i>	(Rooinekvalk)
Grey kestrel	<i>Falco ardosiaceus</i>	(Donkergrysvalk)

Red-footed falcon	<i>Falco vespertinus</i>	(Westelike Rooipootvalk)
Rock kestrel	<i>Falco tinninculus</i>	(Kransvalk)
Lesser kestrel	<i>Falco naumanni</i>	(Kleinrooivalk)
Greater kestrel	<i>Falco rupicoloides</i>	(Grootrooivalk)
Secretary bird	<i>Sagittarius serpentarius</i>	(Sekretarisvoel)
Red-billed francolin	<i>Francolinus adspersus</i>	(Rooibekfisant)
Common peafowl	<i>Pavo cristatus</i>	(Pou)
Helmeted guineafowl	<i>Numida meleagris</i>	(Gewone Tarentaal)
Ostrich	<i>Struthio camelus</i>	(Volstruis)
Kurrichane buttonquail	<i>Turnix sylvatica</i>	(Bosveldkwarteltjie)
Kori bustard	<i>Ardeotis kori</i>	(Gompou)
Red-crested korhaan	<i>Eupodotis ruficrista</i>	(Boskorhaan)
Northern black korhaan	<i>Eupodotis afraoides</i>	(Witvlerkswartkorhaan)
Three-banded plover	<i>Charadrius tricollaris</i>	(Driedandstrandkiewiet)
Crowned plover	<i>Vanellus coronatus</i>	(Kroonkiewiet)
Spotted dikkop	<i>Burhinus capensis</i>	(Dikkop)
Double-banded courser	<i>Smutsnornis africanus</i>	(Dubbelbanddrawwertjie)
Burchell's courser	<i>Cursorius rufus</i>	(Bloukopdrawwertjie)
Temminck's courser	<i>Cursorius temminckii</i>	(Trekdrawwertjie)
Burchell's sandgrouse	<i>Pterocles burchelli</i>	(Gevlekte Sandpatrys)
Rock pigeon	<i>Columba guinea</i>	(Kransduif)
Cape-turtle dove	<i>Streptopelia capicola</i>	(Gewone Tortelduif)
Laughing dove	<i>Streptopelia senegalensis</i>	(Rooiborsduifie)
Namaqua dove	<i>Oena capensis</i>	(Namakwaduifie)
African cuckoo	<i>Cuculus gularis</i>	(Afrikaanse Koekoek)
Black cuckoo	<i>Cuculus clamosus</i>	(Swartkoekoek)
Jacobin cuckoo	<i>Clamator jacobinus</i>	(Bontnuwejaarsvoel)
Great-spotted cuckoo	<i>Clamator glandarius</i>	(Gevlekte Koekoek)
Deiderik cuckoo	<i>Chrysococcyx caprius</i>	(Diederikkie)
Giant-eagle owl	<i>Bubo lacteus</i>	(Reuse Ooruil)
Spotted-eagle owl	<i>Bubo africanus</i>	(Gevlekte Ooruil)
Barn owl	<i>Tyto alba</i>	(Nonnetjie-uil)
Pearl-spotted owl	<i>Glaucidium perlatum</i>	(Witkoluil)
White-faced owl	<i>Otus leucotis</i>	(Witwanguil)
Rufous-cheeked nightjar	<i>Caprimulgus rufigena</i>	(Rooiwangnaguil)
Pennant-winged nightjar	<i>Macrodipteryx vexillarius</i>	(Wimpelvlerknaguil)
European swift	<i>Apus apus</i>	(Europese Windswael)
Little swift	<i>Apus affinis</i>	(Kleinwindswael)

White-rumped swift	<i>Apus caffer</i>	(Witkruiswindswael)
Red-faced mousebird	<i>Urocolius indicus</i>	(Rooiwangmuisvoel)
White-backed mousebird	<i>Colius colius</i>	(Witkruismuisvoel)
Grey-hooded kingfisher	<i>Halcyon leucocephala</i>	(Gryskopvisvanger)
Brown-hooded kingfisher	<i>Halcyon albiventris</i>	(Bruinkopvisvanger)
European Bee-eater	<i>Merops apiaster</i>	(Europese Byvreter)
Swallow-Tailed Bee-eater	<i>Merops hirundineus</i>	(Swaelstertbyvreter)
White-Fronted Bee-eater	<i>Merops bullockoides</i>	(Rooikeelbyvreter)
Lilac-breasted roller	<i>Coracias caudate</i>	(Gewone Troupant)
Purple roller	<i>Coracias naevia</i>	(Groottroupant)
European roller	<i>Coracias garrulous</i>	(Europese Troupant)
Grey hornbill	<i>Tockus nasutus</i>	(Grysneushoringvoel)
Yellow-billed hornbill	<i>Tockus leucomelas</i>	(Geelbekneushoringvoel)
Red-billed woodhoopoe	<i>Phoeniculus damarensis</i>	(Gewone Kakelaar)
Greater scimitarbill	<i>Rhinopomastus cyanomelas</i>	(Swartbekkakelaar)
African hoopoe	<i>Upupa Africana</i>	(Afrikaanse Hoephoep)
Greater honeyguide	<i>Indicator indicator</i>	(Grootheuningwyser)
Acacia pied barbet	<i>Tricholaema leucomelas</i>	(Bonthoutkapper)
Golden-tailed woodpecker	<i>Campethera albingoni</i>	(Goudstertspeg)
Cardinal woodpecker	<i>Dendropicos fuscescens</i>	(Kardinaalspeg)
Bearded woodpecker	<i>Thripas namaquus</i>	(Baardspeg)
Clapper lark	<i>Mirafrapiata</i>	(Hoeveldklappertjie)
Rufous-naped lark	<i>Mirafrap Africana</i>	(Rooineklewerik)
Sabota lark	<i>Mirafrap sabota</i>	(Sabotalewerik)
Fawn-coloured lark	<i>Mirafrap afracanoides</i>	(Vaalbruinlewerik)
Monotonous lark	<i>Mirafrap passerine</i>	(Bosveldlewerik)
Stark's lark	<i>Spizocorys starki</i>	(Woestynlewerik)
Chestnut-backed finchlark	<i>Eremopterix leucotis</i>	(Rooiruglewerik)
Grey-backed finchlark	<i>Eremopterix verticalis</i>	(Gysruglewerik)
Spike-heeled lark	<i>Chersomanes albofasciata</i>	(Vlaktelewerik)
Greater-striped swallow	<i>Hirundo cucullata</i>	(Grootstreepswael)
South african cliff swallow	<i>Hirundo spilodera</i>	(Familieswael)
European swallow	<i>Hirundo rustica</i>	(Europese Swael)
Rock martin	<i>Hirundo fuligula</i>	(Kransswael)
Fork-tailed drongo	<i>Dicrurus adsimilis</i>	(Mikstertbyvanger)
Grassveld pipit	<i>Anthus cinnamomeus</i>	(Gewone Koester)
Ashy tit	<i>Parus cinerascens</i>	(Acaciagrysmees)
Southern pied babbler	<i>Turdoides bicolor</i>	(Witkatlagter)

African red-eyed bulbul	<i>Pycnonotus nigricans</i>	(Afrikaanse Rooioogtiptol)
Groundscraper thrush	<i>Turdus litsitsirupa</i>	(Gevlekte Lyster)
Familiar chat	<i>Cercomela familiaris</i>	(Gewone Spekvreter)
Capped wheatear	<i>Oenanthe pileata</i>	(Hoeveldskaapwagter)
Southern anteating chat	<i>Myrmecocichla formicivora</i>	(Suidelike Swartpiek)
Kalahari robin	<i>Erythropygia paeon</i>	(Kalahariwipstert)
Willow warbler	<i>Phylloscopus trochilus</i>	(Hofsanger)
Icterine warbler	<i>Hippolais icterina</i>	(Spotvoel)
Olive-tree warbler	<i>Hippolais olivetorum</i>	(Olyfboomsanger)
Cape-penduline tit	<i>Anthoscopus minutus</i>	(Kaapse Kapokvoel)
Yellow-bellied eremomela	<i>Eremomela icteropygialis</i>	(Geelpensbossanger)
Fairy flycatcher	<i>Stenostira scita</i>	(Feevlieevanger)
Chestnut-vented tit babbler	<i>Parisoma subcaeruleum</i>	(Bosveldtjieriktik)
Long-billed crombec	<i>Sylvietta rufescens</i>	(Bosveldstompstert)
Desert cisticola	<i>Cisticola aridulus</i>	(Woestynkloppie)
Rattling cisticola	<i>Cisticola chiniana</i>	(Bosveldtinktinkie)
Rufous-eared warbler	<i>Malcorus pectorallis</i>	(Rooioorsanger)
Black-chested prinia	<i>Prinia flavicans</i>	(Swartbandlangstertjie)
Spotted flycatcher	<i>Muscicapa striata</i>	(Europese Vlieevanger)
Chat flycatcher	<i>Melaenornis infuscatus</i>	(Grootvlieevanger)
Marico flycatcher	<i>Melaenornis mariquensis</i>	(Maricovlieevanger)
Pirit batis	<i>Batis pirit</i>	(Piritbosbontokkie)
Crimson-breasted shrike	<i>Laniarius atrococcineus</i>	(Rooiborslaksman)
Red-backed shrike	<i>Lanius collurio</i>	(Rooiruglaksman)
Lesser-grey shrike	<i>Lanius minor</i>	(Gryslaksman)
Common fiscal shrike	<i>Lanius collaris</i>	(Gewone Fiskaallaksman)
Black-crowned tchagra	<i>Tchagra senegala</i>	(Swartkroontjagra)
White-crowned shrike	<i>Eurocephallus anguitimens</i>	(Kremetartlaksman)
Brubru	<i>Nilous afer</i>	(Bontroklaksman)
Glossy starling	<i>Lamprotornis nitens</i>	(Kleinglansspreeu)
Burchell's starling	<i>Lamprotornis australis</i>	(Grootglansspreeu)
Wattled starling	<i>Creatophora cinerea</i>	(Lelspreeu)
Red-billed oxpecker	<i>Buphagus erythrorhynchus</i>	(Rooibekrenostervoel)
Marico sunbird	<i>Nectarinia mariquensis</i>	(Maricosuikerbekkie)
Dusky sunbird	<i>Nectarinia fusca</i>	(Namakwasuikerbekkie)
Great sparrow	<i>Passer motitensis</i>	(Grootmossie)
House sparrow	<i>Passer domesticus</i>	(Huismossie)
Cape sparrow	<i>Passer melanurus</i>	(Gewone Mossie)

Southern grey-headed sparrow	<i>Passer diffusus</i>	(Suidelike Gryskopmossie)
Red-billed quelea	<i>Quelea quelea</i>	(Rooibekkwelea)
Red-billed buffalo weaver	<i>Bubalornis niger</i>	(Buffelwewer)
White-browed sparrow weaver	<i>Ploccepasser mahali</i>	(Koringvoel)
Sociable weaver	<i>Philetairus socius</i>	(Versamelvoel)
Southern masked weaver	<i>Ploceus velatus</i>	(Swartkeelgeelvink)
Shaft-tailed whydah	<i>Vidua regia</i>	(Pylstertroobekkie)
Eastern-paradise whydah	<i>Vidua paradisaea</i>	(Gewone Paradysvink)
Red-billed firefinch	<i>Lagonosticta senegala</i>	(Rooibekrobbin)
Violet-eared waxbill	<i>Uraeginthus granatinus</i>	(Koningblousysie)
Black-cheeked waxbill	<i>Estrilda erythronotos</i>	(Swartwangsysie)
Common waxbill	<i>Estrilda astrild</i>	(Rooibeksysie)
Red-headed finch	<i>Amadina fasciata</i>	(Rooikopvink)
Scaly-feathered finch	<i>Sporopipes squamifrons</i>	(Baardmannetjie)
Melba finch	<i>Pytilia melba</i>	(Gewone Melba)
Yellow canary	<i>Serinus flaviventris</i>	(Geelkanarie)
Black-throated canary	<i>Serinus atrogularis</i>	(Bergkanarie)
Golden-breasted bunting	<i>Emberiza flaviventris</i>	(Rooirugstreepkoppie)
Lark-like bunting	<i>Emberiza impetuani</i>	(Vaalstreepkoppie)

Additional Species from Kuruman and Upington and Augrabies

<u>Common Name (English)</u>	<u>Common Species Name</u>	<u>Common Name (Afrikaans)</u>
Reed cormorant	<i>Phalacrocorax africanus</i>	(Rietduiker)
African darter	<i>Anhinga rufa</i>	(Afrikaanse Slanghalsvoel)
Black-headed heron	<i>Ardea melanocephala</i>	(Swartkopreier)
Little bittern	<i>Ixobrychus minutus</i>	(Woudapie)
Hamerkop	<i>Scopus umbretta</i>	(Hamerkop)
Hadedra ibis	<i>Bostrychia hagedash</i>	(Hadedra)
Sacred ibis	<i>Threskiornis aethiopicus</i>	(Skoorsteenveer)
Egyptian goose	<i>Alopochen aegyptiacus</i>	(Kolgans)
South African shelduck	<i>Tadorna cana</i>	(Kopereend)
Southern pochard	<i>Netta erythrophthalma</i>	(Bruineend)
Yellow-billed duck	<i>Anas undulata</i>	(Geelbekeend)
Red-billed teal	<i>Anas erythrorhynchos</i>	(Rooibekeend)
Jackal buzzard	<i>Buteo rufofuscus</i>	(Rooiborsjakkalsvoel)

Black harrier	<i>Circus maurus</i>	(Witruispaddavreter)
Montagu's harrier	<i>Circus pygargus</i>	(Bloupaddavreter)
Blacksmith plover	<i>Vanellus armatus</i>	(Bontkiewiet)
Caspian plover	<i>Charadrius asiaticus</i>	(Asiatiese Strandkiewiet)
Common sandpiper	<i>Actitis hypoleucos</i>	(Gewone Ruiter)
Wood sandpiper	<i>Tringa glareola</i>	(Bosruiter)
Greenshank	<i>Tringa nebularia</i>	(Gewone Groenpootruiter)
African black swift	<i>Apus barbatus</i>	(Afrikaanse Swartwindswael)
African palm swift	<i>Cypsiurus parvus</i>	(Afrikaanse Palmwindswael)
Giant kingfisher	<i>Ceryle maxima</i>	(Reuse Visvanger)
Malachite kingfisher	<i>Alcedo cristata</i>	(Kuifkopvisvanger)
Lesser honeyguide	<i>Indicator minor</i>	(Kleinheuningwyser)
Crested barbet	<i>Trachyphonus vaillantii</i>	(Kuifkophoutkapper)
Red-breasted swallow	<i>Hirundo semirufa</i>	(Rooiborsswael)
White-throated swallow	<i>Hirundo albigularis</i>	(Witkeelswael)
Brown-throated martin	<i>Riparia paludicola</i>	(Afrikaanse Oewerswael)
White-necked raven	<i>Corvus albicollis</i>	(Withalskraai)
Pied crow	<i>Corvus albus</i>	(Witborskraai)
Olive thrush	<i>Turdus olivaceus</i>	(Olyflyster)
Mountain chat	<i>Oenanthe monticola</i>	(Bergwagter)
Cape robin	<i>Cossypha caffra</i>	(Gewone Janfrederik)
Karoo robin	<i>Erythropygia coryphoeus</i>	(Slangverklikker)
Cape-reed warbler	<i>Acrocephalus gracilirostris</i>	(Kaapse Rietsanger)
African marsh warbler	<i>Acrocephalus baeticatus</i>	(Kleinrietsanger)
Fan-tailed (zitting) cisticola	<i>Cisticola juncidis</i>	(Landeryklopkloppie)
Grey-backed cisticola	<i>Cisticola subruficapillus</i>	(Gysrugtinktinkie)
Fiscal flycatcher	<i>Sigelus silens</i>	(Fiskaalvlieevanger)
Cape white-eye	<i>Zosterops pallidus</i>	(Kaapse Glasogie)
Cape wagtail	<i>Motacilla capensis</i>	(Gewone Kwikkie)
African pied wagtail	<i>Motacilla aguimp</i>	(Bontkwikkie)
Bokmakierie	<i>Telophorus zeylonus</i>	(Bokmakierie)
Southern red bishop	<i>Euplectes orix</i>	(Suidelike Rooivink)
White-breasted cormorant	<i>Phalacrocorax carbo</i>	(Witborsduiker)
Goliath heron	<i>Ardea goliath</i>	(Reuse Reier)
African black duck	<i>Anas sparsa</i>	(Swarteend)
African fish eagle	<i>Haliaeetus vocifer</i>	(Visarend)

Black eagle	<i>Aquila verreauxii</i>	(Witkruisarend)
Honey buzzard	<i>Pernis apivorus</i>	(Wespedief)
Common moorhen	<i>Gallinula chloropus</i>	(Grootwaterhoender)
Black crane	<i>Amaurornis flavirostris</i>	(Swartriethaan)
Grey plover	<i>Pluvialis squatarola</i>	(Grysstrandkiewiet)
Burchell's coucal	<i>Centropus burchellii</i>	(Geowne Vleiloerie)
Alpine swift	<i>Apus melba</i>	(Witpenswindswael)
Bradfield's swift	<i>Apus bradfieldi</i>	(Muiskeurwindswael)
Speckled mousebird	<i>Colius striatus</i>	(Gevlekte Muisvoel)
Pied kingfisher	<i>Ceryle rudis</i>	(Bontvisvanger)
Longbilled lark	<i>Certhilauda curvirostris</i>	(Langbeklewerik)
Namaqua warbler	<i>Phragmacia substriata</i>	(Namakwasanger)
Pale-winged starling	<i>Onychognathus nalouroup</i>	(Bleekvlerkspreeu)
White-throated canary	<i>Serinus albogularis</i>	(Witkeelkanarie)
Cape bunting	<i>Emberiza capensis</i>	(Rooivlerkstreepkoppie)

REPTILES

<u>Common Name (English)</u>	<u>Species Name</u>	<u>Common Name (Afrikaans)</u>
Kalahari tented or serrated tortoise	<i>Psammobates oculifer</i>	(Skulprandskilpad)
Leopard or mountain tortoise	<i>Geochelone pardalis</i>	(Bergskilpad)
Bibron's thick toed gecko	<i>Pachydactylus bibronii</i>	(Bibron se geitjie)
Cape thick toed gecko	<i>Pachydactylus capensis</i>	(Kaapse dweggeitjie)
Common barking gecko	<i>Ptenopus garrulous maculatus</i>	(Gewone blafgeitjie)
Giant ground gecko	<i>Chondrodactylus angulifer</i>	(Groot grondgeitjie)
Kalahari ground gecko	<i>Colopus w. wahlbergii</i>	(Kalahari grondgeitjie)
Rough thick toed gecko	<i>Pachydactylus rugosus</i>	(Skurwe geitjie)
Speckled gecko	<i>Pachydactylus punctatus</i>	(Gespikkelde geitjie)
Turner's thick toed gecko	<i>Pachydactylus turner*</i>	
Schinz's beaked blind snake	<i>Rhinotyphlops shinzi</i>	(Hakneus blindeslang)
Boyle's blind snake	<i>Typhlops boylei</i>	(Boyle se blindeslang)
Peter's thread snake	<i>Leptotyphlops scutifrons</i>	(Peter se draadslang)
African rock python	<i>Python natalensis</i>	(Afrika rotsluislang*)
Brown house snake	<i>Lamprophis fuliginosus</i>	(Bruin huis slang)
Mole snake	<i>Pseudaspis cana</i>	(Molslang)
Dwarf beaked snake	<i>Dipsina multimaculata</i>	(Dweghaakneusslang)
Karoo sand snake/ whip snake	<i>Psammophis notosticus</i>	(Karoo sweep slang)
Fork-marked sand snake	<i>Psammophis leightoni trinasalis</i>	(Vurkmerksandslang)
Bi-coloured quill-snouted snake	<i>Xenocalamnus b. bicolor</i>	(Tweekleur spitsneuslang*)
Southern burrowing asp	<i>Atractaspis bibronii</i>	(Bibron se haaktandslang)
Sundevall's shovel snout	<i>Prosymna s. sundivallii</i>	(Sundevall se geaafneusslang)
Two-striped shovel-snout	<i>Prosymna bivittata</i>	(Tweestreek graafneusslang*)
Eastern tiger snake	<i>Teleoscopus semiannulatus</i>	(Oostelike tierslang*)
Common/rhombic egg eater	<i>Dasypeltis scabra</i>	(Gewone eiervreter)

Sundevall's greater snake	<i>Elapsoidea sundewallii fitzsimonsi</i>	(Kalahari kousbandslang)
Cape cobra	<i>Naja nivea</i>	(Kaapse kobra)
Horned adder	<i>Bitis caudalis</i>	(Horingadders)
Puff adder	<i>Bitis a. arietans</i>	(Poffadder)
Rock monitor	<i>Varanus albigularis</i>	(Veldlikkewaan)
Ground agama	<i>Agama a. aculeata</i>	(Grondkoggelmander)
Striped sandveld lizard	<i>Nucras t. tessellate</i>	(Streep-sandveldakkedis)
Common scaled lizard	<i>Ichnotropis squamulosa</i>	(Gewone skurwe akkedis)
Spotted desert lizard	<i>Merolis suborbitalis</i>	(Kol- woestynakkedis)
Bushveld lizard	<i>Heliobolus lugubris</i>	(Bosveldakkedis)
Spotted sand lizard	<i>Pedioplanis l. lineoocellata</i>	
Striped bling legless skink	<i>Typhlosaraurus l. lineatus</i>	(Gestreepte blinde pootlose skink)
Gariep blind legless skink	<i>Typhlosaurus gariepensis</i>	(Gariep blinde pootlose skink)
Sundevall's writhing skink	<i>Lygosoma sundevallii</i>	(Sundevall se wriemelskink)
Cape skink	<i>Mabuya capensis</i>	(Kaapse skink)
Western three striped skink	<i>Mabuya occidentalis</i>	(Westelike driestreep skink)
Variegated skink	<i>Mabuya variehata</i>	(Gespikkelde skink)
Striped skink	<i>Mabuya striata sparsa</i>	(Gestreepte skink)
Kalahari tree skink	<i>Mabuya spilogaster</i>	(Kalahari boonskink)
Leonhard's spade-snouted worm lizard	<i>Monopeltis leonhardi</i>	(Leonhard se graafneus wurm akkedis)
Cape spade-snouted worm lizard	<i>Monopeltis capensis</i>	(Kaapse graafneus wurm akkedis)
Slender spade-snouted worm lizard	<i>Monopeltis sphenorhynchus mauricei</i>	(Skraal graafneur wurm akkedis)
Blunt tailed worm lizard	<i>Dalophia pistillum</i>	(Stompstert wurmakkedis)
Kalahari round headed worm lizard	<i>Zygaspis quadrifrons</i>	(Kalahari rondkop wurmakkedis)

INVERTEBRATES

<u>Common Name (English)</u>	<u>Classification</u>	<u>Genus/Species Name</u>
Burrowing scorpions	Family Scorpionidae	<i>Opisthophthalmus latimanus</i> , <i>O. glabifrons</i>
Thick-tail scorpions	Family Buthidae	<i>Parabuthus capensis</i> , <i>transvaalicus</i>
Banded garden spider	Family Araneidae	<i>Argiope spp.</i>
Daddy long legs	Family Pholcidae	<i>Smeringopus sp.</i>
Wall crab spider	Family Selenopidae	<i>Selenops sp.</i>
Spitting spider	Family Scytodidae	<i>Scytodes sp.</i>
Sac spider	Family Corinnidae	<i>Cheiracanthium lawrencii</i>
Black widow	Family Theridiidae	<i>Latrodectus sp.</i>
Brown widow	Family Theridiidae	<i>Latrodectus geometricus</i>
Roman or Sun spiders	Family Solifugae	
Silverfish	Order Thysanura	
Bristletails	Order Argeognatha	
Mayflies	Order Ephemeroptera	
Common pond damsel	Order Odonata	<i>Ceriatron glabrum</i>
Riffle Sprite	Pseudagrion sublacteum	
March bluetail	Ischnura senegalensis	
Swamp bluet	Africallagma glaucum	
Blue emperor	Anax imperator	
Red-veined dropwing	Trithemis arteriosa	
Dark dropwing	Trithemis furva	
Julia skimmer	Orthetrum Julia	
Branded groundling	Brachythemis leucosticte	
Wandering glider	Pantala flavescens	
American Cockroach	Order Blattodea	<i>Periplaneta Americana</i>
German cockroach	Blatella germanica	
Cockroach	Bantua sp.	

Cockroach	Derocalymma sp.	
Tree cockroach		<i>Gyna cafferorum</i>
Cockroach		<i>Tivia termes</i>
Cockroach		<i>Supella dimidiata</i>
Northern harvester termite	Order Isoptera	<i>Hodotermes mossambicus</i>
Snouted harvester termite		<i>Trinervitermes</i> sp.
Leaf mantid	Order Mantodea	<i>Phyllocrania paradoxa</i>
Flower mantid		<i>Harpagoantis tricolour</i>
Mantid		<i>Oxypiloidea tridens</i>
Bark mantids		<i>Tarachodes</i> spp.
Giant mantid		<i>Sphodromantis gastrica</i>
Mantid		<i>Miomantis</i> spp.
Grass mantid		<i>Pyrgomantis rhodesica</i>
Ground mantids		<i>Ligariella</i> spp.
Mantid		<i>Compsothespis</i> spp.
Stick mantid		<i>Popa undata</i>
Mantid		<i>Hoplocoryphella grandis</i>
Mantid		<i>Sibylla pretiosa</i>
Cone-headed mantid		<i>Empusa guttula</i>
Cone-headed mantid		<i>Idolomorpha dentifrons</i>
Long horned earwigs	Order Dermaptera	<i>Labidula riparia</i>
Long horned earwigs		<i>Euborellia annulipes</i>
King crickets	Order Orthoptera	<i>Onosandrus</i> spp.
King crickets		<i>Nasidius</i> spp.
Dune crickets		Family Schizodactylidae
Corn crickets		Family Bradyporidae
Leaf Katydids		<i>Phaneroptera</i> spp.
Acacia katydid		<i>Terpnistria zebrata</i>
Cone-headed Katydid		<i>Ruspolia</i> spp.
Winged predatory katydid		<i>Clonia wahlbergi</i>
Bark Katydid		<i>Cymatomera denticollis</i>
Common garden cricket		<i>Gryllus bimaculatus</i>
Cricket		<i>Platygyrillus</i> spp.
Mole crickets		Family Gryllotalpidae
Pygmy mole crickets		Family Tridactylidae
Groundhoppers		Family Tetrigidae

Saw backed locusts		<i>Hoplolopha spp.</i>
Rain locusts		<i>Lamarckiana spp.</i>
Green tree locust		<i>Cyrtacanthacris aeruginosa</i>
Brown locust		<i>Locustana pardalina</i>
Garden locust		<i>Acanthacris ruficornis</i>
Tree locust		<i>Anacridium moestum</i>
Desert locust		<i>Schistocerca gregaria</i>
Locust		<i>Stollia angusticornis</i>
Locust		<i>Schistocerca gregaria</i>
Locust		<i>Gastrimargus spp.</i>
Locust		<i>Heteracris spp.</i>
Toad grasshoppers		<i>Batrachotetrix stolli</i>
Stone grasshoppers		<i>Trachypetrella</i>
Green milkweed locust		<i>Phymateus viridipes</i>
Koppie foam grasshopper		<i>Dichtyophorus spumans</i>
Elegant grasshopper		<i>Zonocerus elegans</i>
Short horned grasshoppers		<i>Truxalis spp.</i>
Common stick grasshopper		<i>Acrida acuminate</i>
Short horned grasshoppers		<i>Truxaloides spp.</i>
Vlei grasshopper		<i>Paracinema tricolour</i>
Rock grasshopper		<i>Conistica saucia</i>
Burrowing grasshopper		<i>Acrotylus spp.</i>
Grasshoppers		<i>Pseudotheticles spp.</i>
Grasshoppers		<i>Tmentanota spp.</i>
Grasshoppers		<i>Rhhachitopis spp.</i>
Grasshopper		<i>Orthoctha dasyncnemis</i>
Grasshopper		<i>Catantops humeralis</i>
Grasshopper		<i>Eyprepocnemis plorans</i>
Blue wing		<i>Sphingonotus scabriculus</i>
Yellow wings		<i>Oedaleus spp.</i>
Giant stick insect	Order Phasmatodea	<i>Plophus reyi</i>
Booklice	Order Psocoptera	<i>Family Liposcelidae</i>
Common barklice		<i>Family Psocidae</i>
Barklice		<i>Family Ectopsocidae</i>
Barklice		<i>Family Peripsocidae</i>
Biting bird lice	Order Phthiraptera	<i>Family Menoponidae</i>
Bird lice		<i>Family Philopteridae</i>
Plant bugs	Order Hemiptera	<i>Deraecoris spp.</i>

Olive Lace bug		<i>Plerochila australis</i>
Millipede assassin		<i>Ectrichodia cruax</i>
Metallic assassin bugs		<i>Glymmatophora spp.</i>
Ant wolves		<i>Holoptilus spp.</i>
Grass assassin		<i>Lopodytes grassator</i>
Assassin bug		<i>Oncocephalus annulipes</i>
Flower assassin		<i>Rhinocoris segmentarius</i>

PLANTS

<u>Common Name (English)</u>	<u>Species Name</u>	<u>Common Name (Afrikaans)</u>
GRASSES		
Gha grass	<i>Centropodia glauca</i>	
Long-awned grass	<i>Aristida stipitata</i>	
Annual three-awn	<i>Aristida adscensionis</i>	
Giant three-awn	<i>Aristida meridionalis</i>	
Nine-awned grass	<i>Enneapogon cenchroides</i>	
Lehmann lovegrass	<i>Eragrostis lehmanniana</i>	
Blougras	<i>Eragrostis annulata</i>	
Shade ergarostis	<i>Eragrostis biflora</i>	(skadu ergarostis)
Tick grass	<i>Eragrostis echinochloidea</i>	(bosluisgras)
Speckled vlei grass	<i>Eragrostis bicolour</i>	(fynvleigras)
Malvaceae family	<i>Hermannia tomentosa</i>	
Broom love grass	<i>Eragrostis pallens</i>	
Kalahari sourgrass	<i>Schmidtia kalahariensis</i>	
Thimble grass	<i>Fingerhuthia africana</i>	
Bur bristle grass	<i>Setaria verticillata</i>	
Small dropseed	<i>Sporobolus coromandelianus</i>	(klein fynsaad gras)
Small bushman grass	<i>Stipagrostis obtusa</i>	(Klein boesmangras)
Tall bushman grass	<i>Stipagrostis ciliate</i>	(langbeenboesmangras)
Dune bushman grass	<i>Stipagrostis amabilis</i>	(duinriet)
BULBS		
Bushman poison bulb	<i>Boophane disticha</i>	(gifbol)
Lilies	<i>Crinum foetidum</i>	
Lilies	<i>Crinum minimum</i>	
Vleilelie	<i>Nerine laticoma</i>	
Aandblommetjie	<i>Pancratium tenuifolium</i>	

VINES AND CREEPERS		
Gisekiaceae family	<i>Gisekia africana</i>	(Volstruisdruife)
Springbuck indigo	<i>Indigofera alternans</i>	(Skaap-ertjie)
Elands pea	<i>Senna italica arachoides</i>	
Kalahari devil's thorn	<i>Tribulus z. zeyheri</i>	(Dubbeltjie)
Snapdragon family	<i>Aptosimum elongatum</i>	
Wild cucumber	<i>Cucumis africanus</i>	(springbokkomkommer)
Tsamma melon	<i>Citrullus lanatus</i>	
Nyctaginaceae family	<i>Boerhavia r. repens</i>	
HERBS		
Cat's Tail	<i>Hermestaedtia fleckii</i>	(Katstert)
Mexican poppy	<i>Argemone ochroleuca</i>	(Bloudissel)(Invasive)
Fever bush	<i>Dicoma capensis</i>	(Koorsbossie)
Wild everlasting	<i>Helichrysum argyrosphaerum</i>	(Sewejaartjie)
African daisy	<i>Hirpicium gazanioides</i>	(Botterblom)
Wild sunflower	<i>Verbesina encelioides</i>	(Wilde sonneblom)
Pigweed	<i>Amaranthus praetermissus</i>	(Misbredie)
Amaranthaceae family	<i>Sericorema remotiflora</i>	(Kwasbossie)
Tumbleweed	<i>Acrotome inflata</i>	(Tolbossie)
Daisy family	<i>Nolletia arenosa</i>	
Bindweed	<i>Convolvulus ocellatus</i>	(Nieshout)
SHRUBS		
Candle thorn	<i>Acacia h. hebeclada</i>	(Trassiebos)
Blackthorn	<i>Acacia mellifera</i>	(Swarthaak)
Sickle bush	<i>Dichrostachys cinerea africana</i>	(Skelbos)
Blue bush	<i>Lebeckia linearifolia</i>	(Bloubos)
Velvet raisin	<i>Grevia flava</i>	(Fluweelrosyntjebos)
Brownstem honeythorn	<i>Lycium cinereum</i>	
Kalahari currant	<i>Rhus tenuinervis</i>	(Kalahari taaibos)
Three-thorn	<i>Rhigozum trichotomum</i>	(Driedoring)
Silky sage	<i>Laggera decurrens</i>	(Wolbos)
Aizoaceae family	<i>Plinthus sericeus</i>	(Sandganna)

Broombushes	<i>Crotilaria spp.</i>	(Besembossies)
Elands bean	<i>Elephantorrhiza elephantina</i>	(Elands boontjie)
Doll's roses	<i>Hermannia minimifolia</i>	(Lusernbo)
Doll's roses	<i>Hermannia burchellii</i>	(Poprosies)
January bush	<i>Gnidia polycephala</i>	(Januarie bos)
Snapdragon family	<i>Aptosimum spp.</i>	(Koegab, koffiepit, rolvarkie)
Horse bush	<i>Monechma genistifolium</i>	(Perdebos)
Blue bush	<i>Monechma incanum</i>	(Blouganna)
Daisy family	<i>Pentzia calcarea</i>	(Meerkatkaroo)
Daisy family	<i>Hirpicium echinus</i>	(Botterblom)
Wild asparagus	<i>Asparagus bechuanicus, A. cooperi</i>	
Sandveld asparagus	<i>Asparagus nelsii</i>	
Mallow family	<i>Pavonia senegalensis</i>	(Wilde stokroos)
Mallow family	<i>Hermannia burchellii</i>	
Coffee family	<i>Kohautia caespitosa</i>	
Wild rosemary	<i>Eriocephalus cf. merxmuelieri</i>	(kapokbos)
TREES		
Grey camel thorn	<i>Acacia haematoxylon</i>	(Vaalkameeldoring)
Camelthorn	<i>Acacia aerioloba</i>	(Kameeldoring)
False camel thorn	<i>A. erioloba x A. haematoxylon hybrid</i>	(False kameeldoring)
Buffalo-thorn	<i>Ziziphus mucronata</i>	(Blinkblaar wag-n-bietjie)
Shepherd's tree	<i>Boscia albitrunca</i>	(Witgat)
Mesquite	<i>Prosopis grandulosa</i>	(Suidwesdoring)